

LED PROFILE T90H IP (CW/WW)



产品参数

Optical system

Source: 160W LED

Fixture CT: 5200K(T90H-CW IP), 3000K(T90H-WW IP)

Life span : 50,000h

CRI: 90(T90H-CW IP), 92(T90H-WW IP)

Fixture Output: 13,000lm(T90H-CW IP), 12,000lm(T90H-WW IP)

Optical angle: 26 ° (19 ° /36 ° /50 ° optional)

Gobo system

Gobo assembly (optional):Rotating gobo assembly, static gobo assembly, support "B" size metal, HT transparency gobos. Gobo OD: 86mm

Effects

Dimming: 0-100% linear dimming

Strobe: Electronic strobe

Protection rating

IP65

Software

Upgrade with DMX

Control channel modes: 3/6/8 CH

Refresh rate: 900-1,500Hz, 25000Hz

Gamma: 2.0,2.2,2.4,2.6,2.8

Control

RDM compatible

Electric parameter

AC100-240V, 50/60Hz

Power consumption: 170W

Dimension and weight

Product dimension: 29.99x43.85x69.77cm

Packing dimension (carton): 64x39.5x42.5cm

Net weight: 8.9kgs

Gross weight (carton): 13kgs

Others

Flicker free

DMX connection: 5 pin in/out