

LSP150PRO



Product parameters

Lamp: single 150W white LED, CT:6500 K, Life: 50,000H

3 DMX channel modes: 15/17/22 channels

Pan movement: 540 ° /630 ° optional (16 bit)

Tilt movement: 270 ° (16 bit)

Advanced moving system: fast, stable and quiet, auto X-Y repositioning

Color wheel: 8 dichroic filters +open, rainbow effect

Rotating gobo: 7 interchangeable, rotating, indexable, gobos+open

Static gobo: 7 interchangeable, static, indexable, gobos+open

Rotating prism: 3 facets Focus: motorized focus

Shutter: Variable from 1-25flashes or random strobe

Dimmer: 0-100% full range dimming



Iris: motorized linear change from 5%-100%

Frost: 0-100% Zoom: 10 ° -30 °

7 pre-built programs can be selected

Friendly touch full color LCD display, with rechangeable battery display Software upgrade: through DMX cable conveniently, quickly upgrade software Remote DMX addressing, lamp on/off, reset, sound control switch by controller

Power: AC100-240V,50/60HZ

Packing Dimension: 65x48.5X46.5cm

Net Weight: 16.5kgs Gross Weight: 18.5kgs


$C \cap$	laure/	Gobos
CO	iours/	GUDUS


:

:

Dimensions







Errors and omissions are possible. All specifications are subject for change without prior notice.

3/3