Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

PT330W WASH



Product parameters

Optical system

Source: Philips Platinum 16R, 330W
Fixture CT: 8000K
Life span：>1,500h
Fixture output: 18,000lm

Movement

Pan: 540 ° /630 ° optional(16 bit)
Tilt: 270 ° (16 bit)
Auto X/Y repositioning

Color system

CMY color mixing
1 Color wheel: 6 dichroic filters + open

Effects
Zoom: 7 ° -46 °
1 Rotating Prism：linear
Frost：light frost,heavy frost
Dimming: 0-100% linear dimming
Shutter: mechanical with various speed

Protection rating
IP20

Display
Battery operated for fast addressing,15 seconds standby auto lock
Pan/tilt disengage (hold MENU and ENTER button)

Software
Upgrade with DMX
Remote reset DMX address and fixture by DMX
Run time of fixture and light source
3 Control channel modes: 17/19/26 CH

Control
Input signal isolation
Auto thermal protection circuit
RDM compatible

Electric parameter
AC100-240V, 50/60Hz
Power: 480W

Dimension and weight
Product dimension: 38.5x33.1x57.3cm

Packing dimension (carton): 69.5x47.5x42.5cm
Net weight: 21.0kgs
Gross weight (carton): 25.5kgs


Colours/ Gobos

COLOR WHEEL: 

:


:

Dimensions



Photometrics

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Errors and omissions are possible. All specifications are subject for change without prior notice.