

---

## Outdoor Cove ELV-C1/C4



### Product parameters

ELV-C outdoor Cove series is a high power, white LED, outdoor linear cove fixture.

Available in 1' and 4' sections, it offers smooth linear dimming with ELV modules.

Featuring class-leading output, robust housing, LSF filter options, and a glare shield,

it is the perfect option for any cove, millwork, and signage application.

Color Temperature: 2700K, 3000K, 3500K, 4000K

Beam Angle: 120 °

Max Fixture Runs: 40 ' @120VAC/80'@240VAC+

Power Consumption: 20W(1')/ 80W(4')



---

Total Lumens: 1' 807@2700K 946@3500K 1004@4000K  
4' 3288@2700K 3784@3500K

4016@4000K

Efficacy (lm/W): 35@2700K , 41@3500K, 44@4000K

CRI: >80

Finish: Anodized Brushed Aluminum (Black or White - Special Order Only)

Housing: Aluminum; Clear Polycarbonate Lens

Operating Temperature: -20 ° C to 45 ° C

Operating Voltage: 95-135V / 200-300V

Dimming: TRIAC + ELV

Fixture Connectors: Integral, 3 Pin Male & Female Connector

Rating: IP 65

Weight: 1' 1.4kg 4' 5.4kg

Dimensions: 74.1mmx91.5mmx305mm/1219.2mm


## Colours/ Gobos

:

:

:

## Dimensions



Errors and omissions are possible. All specifications are subject for change without prior notice.