TEL: +86 2039966388/39966399 Email:: sales@terbly.com

FAX: +86 20 39966388/39966399 Website: www.terbly.com



FLEXI SCREEN GS-P15.625



Product parameters

Our Flexible Series LED Display is made of high quality plastic couple with our patented magnetic locking mechanism making it the lightest weight in the world of LED displays. Each panel is 250 × 1000 × 27mm and weight less than 9kg with 1024 pixels.

SPECIFICATIONS

Pixel Pitch: 15.625mm

Pixel Density:4096dot/ m2 Panel Size:25x1000x27mm

Panel Weigh:5kg

LED Type:SMD(3535RGB3 in 1)



Address: No. 109, Halyong Road, Shiqi Town, Panyu District, Guangzhou.

TEL: +86 2039966388/39966399

Email:: sales@terbly.com Website: www.terbly.com

Brightness:3000CD/m2

Viewing Angle:H140 ° / V120 °

Scaning Rate:50/60Hz Refresh Rate: 300Hz Contrast Level:2000:1

Gray Scale:16 Bits Life Span:100000H

IP Rating: IP65

Max Power:447W/m2 Ave Power:200W/m2

Operating Temperature:-20 ~ +50

Operating Humidity:5%-95%


^		10	
Co	lours	/ G0	bos

:

•

Dimensions





Errors and omissions are possible. All specifications are subject for change without prior notice.