Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

G7B NOVA BEAM



Product parameters

Optical system

Source: Philips MSD Platinum Flex 300, 380W
Fixture CT: 7300K
Life span：6000h
Fixture output: 12,000lm

Movement

Pan: 540 ° /630 ° optional(16 bit)
Tilt: 270 ° (16 bit)
Auto X/Y repositioning

Color system

CMY color mixing
1 Color wheel: 14 dichroic filters +open

Gobo system
1 Static gobo wheel: 15 gobos + open

Effects
Motorized focus
Beam angle: 2 °
2 Rotating prisms: 4 linear + 16 facet,dynamic prism morph
Frost
Dimming: 0%-100% linear dimming
Shutter: mechanical with various speed

Protection rating
IP20

Display
Battery operated for fast addressing,15 seconds standby auto lock
Pan/ Tilt disengage (hold Left arrow and Right arrow buttons)

Software
Upgrade with DMX
Remote reset DMX address and fixture by DMX
Run time of fixture and light source
3 Control channel modes: 19/17/27CH

Control
Input signal isolation
Auto thermal protection circuit
Optional installed wireless receiver
RDM protocol

Electric parameter

AC200-240V, 50/60Hz
Power: 550W

Dimension and weight

Product dimension: 38.6x30.2x60.4cm
Packing dimension (carton): 71.5x50.0x43.5cm
Net weight: 21.0kgs
Gross weight (carton): 26.5kgs

Colours/ Gobos

COLOUR WHEEL: 


STATIC GOBO WHEEL: 





:

Dimensions

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com








Photometrics

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Errors and omissions are possible. All specifications are subject for change without prior notice.