Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

G7B NOVA IP BEAM

Defender Series



Product parameters

Optical system

Source: Philips MSD Platinum Flex 300S, 380W
Fixture CT: 6800K
Life span：6000h
Luminance: 183400lux@20m

Movement

Pan: 540 ° /630 ° optional(16 bit)
Tilt: 270 ° (16 bit)
Auto X/Y repositioning

Color system

CMY color mixing
1 Color wheel: 14 dichroic filters +open

Gobo system
1 Static gobo wheel: 15 gobos + open

Effects
Motorized focus
Beam angle: 2 °
2 Rotating prisms:16 facet + 4 linear prism, two prisms can be morphed
Frost
Dimming: 0%-100% linear dimming
Shutter: mechanical with various speed

Protection rating
IP65

Display
Battery operated for fast addressing,15 seconds standby auto lock
Pan/ Tilt disengage (hold MENU and ENTER button)

Software
Upgrade with DMX
Remote reset DMX address, lamp control, fixture reset by DMX
Run time of light source and fixture
3 Control channel modes: 19/17/27CH

Control
Input signal isolation
Auto thermal protection circuit
Optional installed wireless receiver
RDM protocol

Electric parameter

AC200-240V, 50/60Hz
Power: 550W

Dimension and weight

Product dimension: 44.4x33.2x74.2cm
Packing dimension (carton): 56.0x46.5x86.5cm
Net weight: 37.98kgs
Gross weight (carton): 44kgs

Colours/ Gobos

COLOUR WHEEL: 


STATIC GOBO WHEEL: 



:


Dimensions

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Photometrics

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Errors and omissions are possible. All specifications are subject for change without prior notice.