Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

GL8P (GL8PH) LED PROFILE



Product parameters

Optical system

Source: 750W White LED
Fixture CT: 7100K
Lamp life expectancy：20,000h
CRI: ≥70 (High CRI Version GL8PH: up to 90)
Fixture output: 43,300lm

Movement

Pan: 540 ° /630 ° optional(16 bit)
Tilt: 270 ° (16 bit)
Auto X/Y repositioning

Color system
CMY+CTO color mixing
1 Color wheel: 5 dichroic filters + open

Gobo system
1 Rotating gobo wheel:7 interchangeable gobos + open. Gobo OD: 30mm
1 Static gobo wheel: 7 gobos + open
1 Animation wheel

Effects
Motorized focus
Zoom range: 7 ° - 54 °
Auto focus
2 Rotating prisms: 4 linear + 4 facet
Frost: light frost, heavy frost
4 individually positionable blades with ±45 ° rotation of the complete framing system
Iris
Dimming: 0-100% linear dimming
Strobe: electronic, variable from 1-25Hz or pulse

Protection rating
IP20

Display
Battery operated for fast addressing, 15 seconds standby auto lock
Pan/tilt disengage (hold Left arrow and Right arrow buttons)

Software
Upgrade with DMX and USB as optional
Remote reset DMX address and fixture by DMX
Run time of fixture and light source
3 Control channel modes: 39/37/60CH

Control

Input signal isolation
Optional installed wireless receiver
RDM protocol


Electric parameter

AC200-240V, 50/60Hz
Power: 1050W

Dimension and weight

Product dimension: 452.7x311.4x788.4mm
Packing dimension (carton): 900x565x445mm
Net weight: 38kg
Gross weight (carton): 44kg

Colours/ Gobos


COLOR WHEEL: 

:


ROTATING GOBO WHEEL: 


Dimensions


Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com




Photometrics









Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

Errors and omissions are possible. All specifications are subject for change without prior notice.