Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

S620H IP HYBRID



Product parameters

Optical system
Source: Philips MSD Platinum 19 R LL, 420W
Fixture CT：6700K
Light source life expectancy：5000 hours Average Light Source Life*

Movement
Pan: 540 ° /630 ° optional(16 bit)
Tilt: 270 ° (16 bit)
Auto pan/tilt repositioning

Color system
CMY color mixing

1 color wheel：14 dichroic filters + open, color effect, indexable, split color effect, rainbow effect

Gobo system

1 Rotating gobo wheel:8 interchangeable gobos + open. Gobo OD: 16.3mm
1 Static gobo wheel:14 gobos + open

Effect

Motorized focus
Zoom range: beam mode:2.3 ° -28 ° ; spot mode: 5.5 ° -42 ° ; wash mode: 11 ° -40 °
Auto focus
2 Rotating prism: 4-facet linear prism + 8-facet circular prism, indexable, 16 prism Macros
Frost
Dimming: 0-100% linear dimming
Strobe: electronic, variable from 1-25Hz or pulse

Protection rating

IP66

Display

Display: optional with rechargeable battery, locked automatically after standby for 15 seconds
Pan/tilt disengage (hold Left and Right arrow buttons), support to complete the reset detection in the flight case

Software

Upgrade with DMX
Remote reset DMX address and fixture by DMX
Run time of fixture and light source
2 Control channel modes: 25/36 CH
Auto thermal protection circuit

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

Control
Input signal isolation
RDM protocol

Electric parameter
AC200-240V, 50/60Hz
Power consumption: 650W

Dimension and weight
Product dimension: 395x270x701mm
Packing dimension (carton): 813x475x385mm
Net weight: 29 kg
Gross weight (carton): 31 kg

***Testing conditions in the lab may differ based on various factors.**

Colours/ Gobos


COLOR WHEEL: 

ROTATING GOBO WHEEL: 


STATIC GOBO WHEEL: 

Dimensions

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Photometrics



Errors and omissions are possible. All specifications are subject for change without prior notice.