Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

# JT160B BEAM




## Product parameters

### OPTICS
Lamp: Philips Platinum 5R
CT:8000 K, Life: 2,000H

### MOVEMENT
Pan movement: 540 ° /630 ° optional (16 bit )
Tilt movement: 265 ° (16 bit )
Advanced moving system: fast, stable and quiet, auto X-Y repositioning

### COLORS
1Color wheel: 12 dichroic filters +open, rainbow effect

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

## GOBOS
1Static gobo wheel: 14 interchangeable, rotating, indexable gobos+open

## FEATURES
2 Control channel modes: 12/10 channels
Rotating prism: 3 facets and prism macros
Shutter: Variable from 1-13 flashes or random strobe
Dimming: 0-100% full range dimming
Frost: 0-100%
Beam angle: 2 °

## DISPLAY
LED display
locked automatically after 15 seconds from the last button press to prevent incorrect operation, long press menu button for 3 seconds to activate keys again
Humanized reset detection set: long press menu and enter button to lock pan/tilt reset, can support fixtures do the reset detection in flight case

## SOFTWARE
8 pre-built programs can be selected
Software upgrade: through DMX cable conveniently, quickly upgrade software
Remote DMX addressing, lamp of/off, reset, sound control switch by controller

## OTHER SPEC
Signal isolation protection function: guarantee signal transmission is very stable and without interference
High temperature automatic protection function: lamp off automatically as fixture achieve high temperature until it cool down to gurantee fixture safe usage.
Optional built in wireless receiver
Advanced RDM function

## POWER
AC100-240V, 50/60HZ

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

## DIMENSIONS AND WEIGHT

Packing dimension: 54.5 x 42.5 x 43 cm
Net Weight: 10kgs
Gross Weight: 13kgs

## Colours/ Gobos


COLOR WHEEL: 

STATIC GOBO WHEEL: 

:

## Dimensions


Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com




# Photometrics

Beam angle 2°

| Intensity LUX(Min.) | 159800 | 81780 | 50540 | 38630 |
|---|---|---|---|---|




| Distance(m) | 10.0 | 15.0 | 20.0 | 25.0 |
|---|---|---|---|---|
| Diameter(m) | Φ0.40 | Φ0.65 | Φ0.86 | Φ1.06 |

Errors and omissions are possible. All specifications are subject for change without prior notice.