Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

SLC IP LED SPOT(WITH FRAMING)



Product parameters

Optical system

Source: 1800W RGBALC LED
Light source life expectancy：20,000 hours Average Light Source Life*
CRI: Ra:99, R9:99

Fixture Output: 35000lm

Movement

Pan: 540 ° /630 ° optional (16 bit)
Tilt: 270 ° (16 bit)

Auto X/Y repositioning

Color system
RGBALC six-color natural color mixing
Linear CMY effect
Linear color temperature: 2500K - 10000K
1 Color wheel: 5 dichroic filters + open

Color management system, featuring 236 colors, with one channel corresponding to one color.

Gobo system
2 Rotating gobo wheel: each with 7 interchangeable gobos+ open. Gobo OD: 30mm
1 Static gobo wheel: 5 gobos + open

1 Animation wheel

Effects
Motorized focus
Zoom range: 4 ° -55 °
Auto focus
1 rotating prism wheels: 4 facet + 4 linear. Dynamic prism morph to produce various beam and kaleidoscope effects.
Light frost, heavy frost
Framing system
Iris

Dimming: 0-100% linear dimming
Strobe: electronic with various speed
GAMMA: 2.0, 2.2, 2.4, 2.6, 2.8, to fit different camera's linearity

Refresh rate: 900Hz-25000Hz

Protection rating

IP66

Display
Battery operated for fast addressing,45 seconds standby auto lock

Pan/ Tilt disengage (hold LEFT and RIGHT button)

Software
Upgrade with DMX
Remote reset DMX address, fixture reset by DMX
Run time of light source and fixture
2 Control channel modes: 49/73CH

Auto thermal protection circuit

Control
Input signal isolation
RDM protocol

IoT cloud platform control: Optional

Electric parameter

AC200-240V, 50/60Hz


Power: 2100W


Dimension and weight

Product dimension: 444x315x820mm
Net weight: 44 kg

***Testing conditions in the lab may differ based on various factors.**

Colours/ Gobos


COLOR WHEEL: 

ROTATING GOBO WHEEL I: 


ROTATING GOBO WHEEL II: 


Dimensions

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Photometrics





Errors and omissions are possible. All specifications are subject for change without prior notice.