Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

GL4 LED PROFILE



Product parameters

Optical system

Source: 440W White LED
Fixture CT: 6500K
Life span：>20,000h
CRI: ≥76
Fixture output: 19,000lm

Movement

Pan: 540 ° /630 ° optional(16 bit)
Tilt: 270 ° (16 bit)
Auto X/Y repositioning

Color system
CMY+CTO color mixing
1 Color wheel: 7 dichroic filters + open

Gobo system
1 Rotating gobo wheel: 6 interchangeable gobos + open. Gobo OD: 29mm
1 Static gobo wheel: 7 dichroic filters gobos + open

Effects
Motorized focus
Zoom: 11 ° - 38 °
1 Rotating prism: 3 facet
Frost
4 individually positionable blades with ±45 ° rotation of the complete framing system
Iris
Dimming: 0-100% linear dimming
Strobe: electronic, variable from 1-25Hz or pulse

Protection rating
IP20

Display
Battery operated for fast addressing,15 seconds standby auto lock
Pan/tilt disengage (hold Left arrow and Right arrow buttons)

Software
Upgrade with DMX
Remote reset DMX address and fixture by DMX
Run time of fixture and light source
3 Control channel modes: 25/23/35 CH

Control
Input signal isolation

RDM compatible


Electric parameter

AC100-240V, 50/60Hz
Power: 650W

Dimension and weight

Product dimension: 45.0x31.0x74.5cm
Packing dimension (carton): 86.0x54.0x53.5cm
Net weight: 33.5kgs
Gross weight (carton): 39.7kgs

Colours/ Gobos


COLOR WHEEL: 

ROTATING GOBO WHEEL: 


STATIC GOBO WHEEL: 


Dimensions

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Photometrics





Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

Errors and omissions are possible. All specifications are subject for change without prior notice.