Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

LED FRESNEL F90（CW/WW）



Product parameters

F90-CW

LED Source: 150W White LED Engine
Color Rendering Index (CRI):≥95
Color Temperature:5700K
Output:11000lm
Dimmer:0-100% Linear Dimming
Beam Angle:15 ° -57 °
Field Angle:23 ° -72 °
Control:DMX 512/Manual Operation
Control Channel Mode:2/3/6 Channel
IP Rating:IP20
Power Consumption:200W

Input Voltage:AC100-240V, 50/60Hz
Weight:12.5KGS
Dimension:69X42X43cm
Standard Accessories:Barn doors
Optional Hanging Type:Manual Yoke, Pole-control Yoke, Motorized Yoke

F90-WW
LED Source: 150W White LED Engine
Color Rendering Index (CRI):≥97
Color Temperature:2000K
Output:8100lm
Dimmer:0-100% Linear Dimming
Beam Angle:15 ° -57 °
Field Angle:23 ° -72 °
Control:DMX 512/Manual Operation
Control Channel Mode:2/3/6 Channel
IP Rating:IP20
Power Consumption:200W
Input Voltage:AC100-240V, 50/60Hz
Weight:12.5KGS
Dimension:69X42X43cm
Standard Accessories:Barn doors
Optional Hanging Type:Manual Yoke, Pole-control Yoke, Motorized Yoke


Colours/ Gobos

:

:


:

Dimensions



Photometrics

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Errors and omissions are possible. All specifications are subject for change without prior notice.