

PIXI BAR C5



Product parameters

Optical system

Source: R/G/B/Y/W/DB/VG/HR,8-Color LED Engine

Fixture CT : 8000K

Lamp life expectancy : 50000h

CRI : 78

Fixture output : 8300lm

Effects

Zoom range: Beam Angle : 44 ° x46 ° , Field Angle : 75 ° x79 °

Dimming: 0-100% linear dimming

Protection rating



IP20

Software

Upgrade with DMX

3 Control channel modes: 12/20/28CH

Control

DMX 512/Manual

RDM protocol

Electric parameter

AC100-240V, 50/60Hz

Power : 440W

Dimension and weight

Product dimension : 506x309x353mm

Packing dimension (carton) : 580x415x470mm

Net weight : 10.8kg

Gross weight (carton) : 14.5kg




Colours/ Gobos

:

:

:


Dimensions



Photometrics



| | | | | |
|------|-----|----|----|----|
| FULL | 380 | 95 | 42 | 24 |
| RED | 71 | 18 | 8 | 5 |
| BLUE | 30 | 7 | 3 | 2 |
| HR | 20 | 5 | 2 | 1 |
| C | 69 | 17 | 8 | 4 |
| G | 149 | 37 | 17 | 9 |
| DB | 13 | 3 | 2 | 1 |
| Y | 40 | 10 | 4 | 3 |
| W | 148 | 37 | 16 | 9 |



| | | | | |
|---------------|----------|------------|------------|------------|
| Distance(m) | 5 | 10 | 15 | 20 |
| Beam Width(m) | Φ7.7x8.2 | Φ15.3x16.5 | Φ23.0x24.7 | Φ30.7x33.0 |

Errors and omissions are possible. All specifications are subject for change without prior notice.