

PIXI BAR C5



Product parameters

Optical system

Source: R/G/B/Y/W/DB/VG/HR,8-Color LED Engine

Fixture CT : 8000K

Lamp life expectancy : 50000h

CRI : 78

Fixture output : 8300lm

Effects

Zoom range: Beam Angle : 44 ° x46 ° , Field Angle : 75 ° x79 °

Dimming: 0-100% linear dimming

Protection rating



IP20

Software

Upgrade with DMX

3 Control channel modes: 12/20/28CH

Control

DMX 512/Manual

RDM protocol

Electric parameter

AC100-240V, 50/60Hz

Power : 440W

Dimension and weight

Product dimension : 506x309x353mm

Packing dimension (carton) : 580x415x470mm

Net weight : 10.8kg

Gross weight (carton) : 14.5kg




Colours/ Gobos

:

:

:


Dimensions



Photometrics



FULL	380	95	42	24
RED	71	18	8	5
BLUE	30	7	3	2
HR	20	5	2	1
C	69	17	8	4
G	149	37	17	9
DB	13	3	2	1
Y	40	10	4	3
W	148	37	16	9



Distance(m)	5	10	15	20
Beam Width(m)	Φ7.7x8.2	Φ15.3x16.5	Φ23.0x24.7	Φ30.7x33.0

Errors and omissions are possible. All specifications are subject for change without prior notice.