



OVAL48D



Product parameters

48x3W LEDs: RGBW each 12pcs

Extremely Long Life: 100,000 hr and low power consumption

4 DMX channel modes: 4/5/7/9 channels

3 operational modes: DMX-512, Master/Slave & Sound Active

Strobe effect with 1-25 flashes per second and pulse effect

General dimming and blackout for all LEDs

Protection rating: IP65, aluminium die-case

Excellent color mixing and rainbow effect

Color temperature adjustable from 2700K-7200K

4 digit LED display



Preset program: 7 built in programs can be called up via DMX controller

Beam angle: 9 ° , field angle: 22 °

Attached an easily mounted metal holder enable to fit of optional diffractive diffusing film to get different beam angles and effects

Software upgrade: through DMX cable conveniently, quickly upgrade software

OVAL48DW: 32 x warm white, 16 x cool white

Power: AC100-240V,50/60HZ

Packing Dimension: 35x32x29cm

Net Weight: 7kgs

Gross Weight: 8kgs


Colours/ Gobos

:

:

:

Dimensions




Photometrics

Beam angle 9°

Field angle 22° (LENS 15°)

Intensity LUX	Red Led:	6180	1812	835
	Green Led:	18200	5896	2775
	Blue Led:	3300	1210	600
	White Led:	11330	3415	1584
	Full Led:	33010	9920	4560



Errors and omissions are possible. All specifications are subject to change without prior notice.