Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com

OVAL48D



Product parameters

48x3W LEDs: RGBW each 12pcs
Extremely Long Life: 100,000 hr and low power consumption
4 DMX channel modes: 4/5/7/9 channels
3 operational modes: DMX-512, Master/Slave & Sound Active
Strobe effect with 1-25 flashes per second and pulse effect
General dimming and blackout for all LEDs
Protection rating: IP65, aluminium die-case
Excellent color mixing and rainbow effect
Color temperature adjustable from 2700K-7200K
4 digit LED display

Preset program: 7 built in programs can be called up via DMX controller
Beam angle: 9 ° , field angle: 22 °
Attached an easily mounted metal holder enable to fit of optional diffractive diffusing film to get different beam angles and effects
Software upgrade: through DMX cable conveniently, quickly upgrade software
OVAL48DW: 32 x warm white, 16 x cool white

Power: AC100-240V,50/60HZ
Packing Dimension: 35x32x29cm
Net Weight: 7kgs
Gross Weight: 8kgs

Colours/ Gobos


:

:


:

Dimensions

Guangzhou Haoyang Electronic Co., Ltd.
Address: No. 18, the First Crossroad of Lianyun Road, Shiqi Town, Panyu District, Guangzhou.
TEL:+86 2039966388/39966399 FAX:+86 2039966388/39966399
Email: www.terbly.com Website: sales@teroly.com



Photometrics



Errors and omissions are possible. All specifications are subject for change without prior notice.